



SafeWork NSW

# CERTIFICATE OF PLANT DESIGN REGISTRATION

Work Health & Safety Act 2011  
Work Health & Safety Regulation 2011

ABN: 77 682 742 966  
Phone: 13 10 50

Registration No: **LEM 6-200897/16**

Issue Date: **24/05/2016**

Registration Holder: ASCENSORES TRESA S.A.

Postal Address: LAXACONA 121 (P.I. PORCEYO)  
GIJON  
SPAIN

Plant Type: Lift/Escalator/Moving Walkway Original

Model Number/ Trade Name: GcL2.2000-1.6

Technical Standard : EUROPEAN STANDARD EN81-1:1998+A3:2009  
AUSTRALIAN STANDARD AS1735.1-2003, Appendix A

Engineering Principles: No

## Design Description:

Type	Lift
Lift Type	Passenger
Max Travel (m)	80.00
Lift Max Speed (m/s)	1.60
Max SWL Rated Load (kg)	2,000.00
Number of Passengers	26
Suspension Type	Traction
Drive Type	Electric
Length (m)	3.2000
Width (m)	2.2000
Height (m)	2.4000
E/MW Max Inclination (deg)	0.00
Max E/MW Rise (m)	0.00
Drawing Number Design	GcL2.2000-1.6/01, GcL2.2000-1.6/02
Installation Address	
Motor Control Type	Variable frequency
Max Number of Openings	2
Max Floor Area(m2)	4.2

Note: The design of an item of plant registered under the Occupational Health and Safety Regulation immediately before the repeal of that regulation is deemed to have been registered under part 5.3 of the WHS Regulation

Fee Paid: \$ 265.51

Receipt Date: 23/05/2016

Receipt No: 30-1421 + 30-1316